



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Causes of death—*Continued.*

Beriberi.....	3
Pulmonary tuberculosis.....	45
Malarial fevers.....	32
Bronchitis.....	11
Circulatory diseases.....	32
Carcinoma.....	1
Pneumonia.....	9
Diarrhea and dysentery.....	37
Tetanus.....	2
Syphilis.....	2
Cerebral hemorrhages and congestion.....	11
Meningitis.....	4
Nephritis.....	15
Tetanus, infantile.....	15
Other causes.....	93
Died in hospital.....	63

*Sanitary report from Rio.*RIO DE JANEIRO, *February 27, 1899.*

SIR: I have the honor to transmit to you the official report for the week ended February 10: There were 314 deaths from all causes, a decrease of 14 as compared with the foregoing week; 25 deaths from accesso pernicioso, an increase of 4; 50 deaths from yellow fever, an increase of 9; 4 deaths from smallpox, an increase of 1; 2 deaths from typhoid fever, a decrease of 1; no death from diphtheria, a decrease of 1; no death from measles, a decrease of 3; 4 deaths from beriberi, an increase of 3, and 31 deaths from tuberculosis, a decrease of 16.

Since last report the following-named ships have been inspected and received bills of health of this office: February 18, bark *Dom Pedro II*, American, for Baltimore; ship *Clarence S. Bement*, American, for New York; steamship *Coleridge*, British, for New York; bark *Norden*, Swedish, for Wilmington, N. C. February 20, steamship *Campona*, French, for New Orleans; steamship *Capri*, German for New York.

Respectfully, yours,

W. HAVELBURG,

Sanitary Inspector, U. S. M. H. S.

The SUPERVISING SURGEON-GENERAL,
U. S. Marine-Hospital Service.

CANADA.

*Smallpox in the province of Quebec.*MONTREAL, *March 25, 1899.*

SIR: The present status of smallpox in the province is as follows:

Municipality.	County.	Population.	Date of outbreak.	New cases since last report. (a)	Total cases since outbreak.	Died.	Recovered.	Still sick.	Houses infected since outbreak.	Houses still infected.
Coteau du Lac.....	Soulanges.....	1,276	Dec. 10	0	5	0	5	0	1	0
Coteau Landing.....do.....	507	Dec. 29	0	1	1	0	0	1	0
St. Telesphore.....do.....	1,307	Jan. 12	0	7	0	7	0	1	0
Waltham and Bryson....	Pontiac.....	361	Feb. 13	0	1	0	0	1	1	1

^a Date of last report, March 10.

Respectfully, yours,

ELZÉAR PELLETIER,

Secretary Board of Health of the Province of Quebec.